

EU-Konformitätserklärung entsprechend EN 17050-1

Wir erklären unter unserer alleinigen Verantwortlichkeit, dass das Produkt, auf welches sich diese Erklärung bezieht, in Übereinstimmung mit den folgenden Spezifikationen ist.

Multifunktionssystem

TA Triumph-Adler 4009ci, 5009ci, 6009ci, 7009ci

UTAX 4009ci, 5009ci, 6009ci, 7009ci

Optionen: PF-7140, PF-7150, PF-7120, DP-7150, DP-7160, DP-7170, AK-7110, AK-7120, DF-7100, DF-7120, DF-7140, DF-7150, ZF-7100, IS-7100, MT-730, BF-730, BF-9100, PH-7, PH-7120, PH-7130, FAX System 12, FAX System 14, IB-51, IB-53, IB-54, IB-55, IB-37, IB-38, HD-15, HD-16, Printing System 17, Printing System Interface Kit 15, NK-7120, JS-7100, JS-7110

Verbrauchsmaterial: CK-8543M, CK-8543C, CK-8543Y, CK-8543K, CK-8542M, CK-8542C, CK-8542Y, CK-8542K, CK-8546M, CK-8546C, CK-8546Y, CK-8546K

entspricht den folgenden EU Direktiven und Standards.


EU Direktive / EU Directives		EU Standards
RE	2014/53/EU	EN 300 328 V2.2.2, EN 301 893 V2.1.1, EN 300 330 V2.1.1, EN 301 489-1 V2.2.3, EN 301 489-3 V2.1.1, EN 301 489-17 V3.2.4
		EN 62368-1:2014+A11:2017, EN 60825-1:2014+A11:2021, EN 62311:2008
		EN 55032:2015+A11:2020, EN 55035:2017+A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A2:2019
ErP	2009/125/EC	EN 50564:2011
RoHS	2011/65/EU (EU) 2015/863	EN IEC 63000:2018
Batterie	(EU) 2023/1542	

Software Version IB-54/IB-55: V3.0.1b01, IB-37/38: 1.0.0

**Bemerkung: Erstes Jahr der Kennzeichnung mit CE-Markierung: 24
(Jahr der CE-Markierung: 2024)**

Firma: TA Triumph-Adler GmbH
Adresse: Deelbögenkamp 4c // Haus 5
22297 Hamburg, Deutschland

Beauftragte Person: Andreas Wiegand
Umwelt- und Energiemanagementbeauftragter



Datum: 4. Oktober 2024

Objekt: OEM Modell

Modellname: TA Triumph-Adler / UTAX 4009ci, 5009ci, 6009ci, 7009ci

Die oben erwähnten Produkte entsprechen den Kyocera Modellen "TASKalfa MZ4001ci, TASKalfa MZ5001ci, TASKalfa MZ6001ci, TASKalfa MZ7001ci". Die Unterschiede zu den Kyocera Modellen "TASKalfa MZ4001ci, TASKalfa MZ5001ci, TASKalfa MZ6001ci, TASKalfa MZ7001ci" sind nur die Modellnamen.

Die Konformitätsprüfungen nach 2014/53/EU, 2009/125/EC und 2011/65/EU wurde unter Verwendung des Kyocera Document Solutions Modell durchgeführt.

EC DECLARATION OF CONFORMITY according to EN 17050-1

We declare under our sole responsibility that the product to which this declaration relates is in conformity with the following specifications.

Multifunction Printer
TA Triumph-Adler 4009ci, 5009ci, 6009ci, 7009ci
UTAX 4009ci, 5009ci, 6009ci, 7009ci
Options: PF-7140, PF-7150, PF-7120, DP-7150, DP-7160, DP-7170, AK-7110,
AK-7120, DF-7100, DF-7120, DF-7140, DF-7150, ZF-7100, IS-7100, MT-730,
BF-730, BF-9100, PH-7, PH-7120, PH-7130, FAX System 12,
FAX System 14, IB-51, IB-53, IB-54, IB-55, IB-37, IB-38, HD-15, HD-16,
Printing System 17, Printing System Interface Kit 15, NK-7120, JS-7100,
JS-7110
Consumables: CK-8543M, CK-8543C, CK-8543Y, CK-8543K, CK-8542M,
CK-8542C, CK-8542Y, CK-8542K, CK-8546M, CK-8546C, CK-8546Y, CK-8546K

conform the following EU Directives and Standards.

EU Direktive / EU Directives		EU Standards
RE	2014/53/EU	EN 300 328 V2.2.2, EN 301 893 V2.1.1, EN 300 330 V2.1.1, EN 301 489-1 V2.2.3, EN 301 489-3 V2.1.1, EN 301 489-17 V3.2.4
		EN 62368-1:2014+A11:2017, EN 60825-1:2014+A11:2021, EN 62311:2008
		EN 55032:2015+A11:2020, EN 55035:2017+A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A2:2019
ErP	2009/125/EC	EN 50564:2011
RoHS	2011/65/EU (EU) 2015/863	EN IEC 63000:2018
Battery	(EU) 2023/1542	

Software Version IB-54/IB-55: V3.0.1b01, IB-37/38: 1.0.0

Note: FIRST YEAR OF THE CE MARKING: 24 (Year of CE marking: 2024)

Company Name: TA Triumph-Adler GmbH
Address: Deelbögenkamp 4c // Haus 5
22297 Hamburg, Germany

Authorized Officer: Andreas Wiegand
Environmental and energy manager representative



Date: October 4, 2024

Subject: OEM Model

Model Name: TA Triumph-Adler / UTAX 4009ci, 5009ci, 6009ci, 7009ci

The above-mentioned products are the same products as the Kyocera models "TASKalfa MZ4001ci, TASKalfa MZ5001ci, TASKalfa MZ6001ci, TASKalfa MZ7001ci". The differences from "TASKalfa MZ4001ci, TASKalfa MZ5001ci, TASKalfa MZ6001ci, TASKalfa MZ7001ci" are only the model names.

So we performed the conformity test to 2014/53/EU, 2009/125/EC and 2011/65/EU using the Kyocera Document Solutions models.


Technical Documentation According to (EU) 2023/1542

Multifunction Printer
TA Triumph-Adler 4009ci, 5009ci, 6009ci, 7009ci
UTAX 4009ci, 5009ci, 6009ci, 7009ci
Usage Battery: CR2032/VS1N
Manufacture: TA Triumph-Adler GmbH

1. General description and intended usage

The product use the battery shown below. The battery is used to operate the Real Time Clock IC.

2. Specifications and Conformance



Battery Type	Manganese dioxide primary Lithium battery
Model Number	CR2032/VS1N
Battery Category	Portable battery
Nominal voltage / capacity	3V, 225mAh
Battery weight	2.8g
Supplier	Panasonic Energy Co., Ltd.
Design / Drawing	Refer to the Fig. 1 Dimension drawing of the battery. Refer to the Conformity assessment report No. R24001 for the internal configuration of the battery.
Circuit diagram	The power is supplied from the battery when the power supply V_{DD} of the IC becomes 0 V.  The diagram illustrates a backup power circuit for an IC. A CR2032 battery is connected to GND. Its positive terminal is connected to a resistor R, which is then connected to a diode D. The other terminal of the diode D is connected to VDD. A capacitor C is connected between VDD and GND. The IC is connected to VDD and GND. The text indicates that the battery provides power to the IC when the main power supply VDD is 0V.
A specimen of the label required in accordance with Article 13: This requirement will be mandatory from 18 August 2026.	
Conformity of the requirements of Article 6: Refer to the Conformity assessment report No. C240015 of the battery supplier.	
Conformity of the requirements of Article 9, 10, 12 and 14: Refer to the Conformity assessment report No. R24001 of the battery supplier.	
Conformity assessment report: Refer to the Conformity assessment report No. C240015 and No. R24001 of the battery supplier.	

NOTE: Product marked with the Crossed-out Wheeled Bin Symbol includes the battery that complies with the Regulation (EU) 2023/1542 of the European Parliament and the Council of 12 July 2023 concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020 and repealing Directive 2006/66/ECs.

Do not remove and dispose of the batteries included in this machine.

3. Safety Information

Refer to the PROCUCT SAFETY DATA SHEET of the battery supplier.



PRODUCT NO.	CR-2032/V51N		SCALE 4:1
DRAWING NO.	PMVCIZ	REV. PC_0	UNIT: 毫米 

NOTE (注記)

1. TAB WELDING STRENGTH OVER 9.6N (製品番号: 19, 6月11日)

2. TAB MATERIAL: STAINLESS STEEL WITH TIN PLATING (製品番号: 44, ステンレス鋼 鉛付メッキ) (製品番号: 44, ステンレス鋼 鉛付メッキ)

3. (1) REFERENCE DIMENSION AND ANGLE (1) 上, 角度は各々