

EU-Konformitätserklärung entsprechend (EU) 2023/1542

Wir erklären unter unserer alleinigen Verantwortlichkeit, dass das Produkt, auf welches sich diese Erklärung bezieht, in Übereinstimmung mit den folgenden Spezifikationen ist.

Drucker
TA Triumph-Adler P-C2650DW
UTAX P-C2650DW

entspricht den folgenden EU Direktiven und Standards.

Batterie	
Batterietyp	Mangandioxid primär Lithium-Batterie
Modellnummer	CR2032/VS1N
Batteriekategorie	Tragbare Batterie
Spezifikation	Knopfzelle mit Lasche, 3V, 225mAh
Lieferant	Panasonic Energy Co., Ltd.

EU-VERORDNUNG

VERORDNUNG (EU) 2023/1542 DES EUROPÄISCHEN PARLAMENTS UND DES RATES vom 12. Juli 2023 über Batterien und Altbatterien, zur Änderung der Richtlinie 2008/98/EG und der Verordnung (EU) 2019/1020 sowie zur Aufhebung der Richtlinie 2006/66/EGs

Firma: TA Triumph-Adler GmbH
Adresse: Deelbögenkamp 4c // Haus 5
22297 Hamburg, Deutschland

Beauftragte Person: Andreas Wiegand
Umwelt- und Energiemanagementbeauftragter



Datum: 7. August 2024

DECLARATION OF CONFORMITY according to (EU) 2023/1542

We declare under our sole responsibility that the product to which this declaration relates is in conformity with the following specifications.

Printer
TA Triumph-Adler P-C2650DW
UTAX P-C2650DW

conform the following EU Directives and Standards.

Battery	
Battery Type	Manganese dioxide primary Lithium battery
Model Number	CR2032/VS1N
Battery Category	Portable battery
Specification	Coin battery with tab, 3V, 225mAh
Supplier	Panasonic Energy Co., Ltd.

EU REGULATION

REGULATION (EU) 2023/1542 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 12 July 2023 concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020 and repealing Directive 2006/66/ECs

Company Name: TA Triumph-Adler GmbH
Address: Deelbögenkamp 4c // Haus 5
22297 Hamburg, Germany

Authorized Officer: Andreas Wiegand
Environmental and energy manager representative



Date: August 7, 2024


Technical Documentation According to (EU) 2023/1542

Printer
TA Triumph-Adler P-C2650DW
UTAX P-C2650DW
Usage Battery: CR2032/VS1N
Manufacture: TA Triumph-Adler GmbH

1. General description and intended usage

The product use the battery shown below. The battery is used to operate the Real Time Clock IC.

2. Specifications and Conformance

Battery Type	Manganese dioxide primary Lithium battery
Model Number	CR2032/VS1N
Battery Category	Portable battery
Nominal voltage / capacity	3V, 225mAh
Battery weight	2.8g
Supplier	Panasonic Energy Co., Ltd.
Design / Drawing	Refer to the Fig. 1 Dimension drawing of the battery. Refer to the Conformity assessment report No. R24001 for the internal configuration of the battery.
Circuit diagram	<p>The power is supplied from the battery when the power supply V_{DD} of the IC becomes 0 V.</p>  <p>The diagram shows an IC with a VDD pin. A CR2032 battery is connected to GND and a node. This node is connected to the VDD pin of the IC through a resistor R and a diode D. A capacitor C is connected between this node and GND.</p>
A specimen of the label required in accordance with Article 13: This requirement will be mandatory from 18 August 2026.	
Conformity of the requirements of Article 6: Refer to the Conformity assessment report No. C240015 of the battery supplier.	
Conformity of the requirements of Article 9, 10, 12 and 14: Refer to the Conformity assessment report No. R24001 of the battery supplier.	
Conformity assessment report: Refer to the Conformity assessment report No. C240015 and No. R24001 of the battery supplier.	


NOTE: Product marked with the Crossed-out Wheeled Bin Symbol includes the battery that complies with the Regulation (EU) 2023/1542 of the European Parliament and the Council of 12 July 2023 concerning batteries and waste batteries, amending Directive 2008/98/EC and Regulation (EU) 2019/1020 and repealing Directive 2006/66/ECs.

Do not remove and dispose of the batteries included in this machine.

3. Safety Information

Refer to the PROCUCT SAFETY DATA SHEET of the battery supplier.

Fig. 1 Dimension drawing



PRODUCT NO.	CR-2032/V51N	SCALE	4:1
DRAWING NO.	PMVC1Z	REV.	PC_0
		UNIT: mm	

NOTE (注):
 1. TAE BUILDING STRENGTH OVER 19.6N (耐荷重: 19.6N)
 2. TAE MATERIAL: STAINLESS STEEL WITH TIN PLATING
 (材質: ステンレス鋼 付Sn/Pb)
 3. () REFERENCE DIMENSION AND ANGLE () 寸法、角度参照